

2023 Collection

Available from 01/01/2023

nobilia® elements 

More  
space in  
your **life.**

**nobilia** elements  
rapid delivery programme.





# one

Quick and simple for individual preferences.

Pre-assembled  
Modular and suitable for flexible expansion.

# two



# three

Top quality is our standard.




**nobilia**<sup>®</sup>elements 

## The intelligent and modular quick delivery program by nobilia

Whether you are moving to a new town, starting a family or building a house: Home living environments change. From one day to the next you suddenly need a new kitchen, new bathroom or living room furniture. Simply and quickly. Without complications. That's what has to be offered by a modular one-two-three concept with furniture elements that reach you quickly. At all times and with options for expansion in the future. With great quality standards. And that's exactly what we've got for you.

Our innovative and modular quick-delivery program nobilia elements offers a suitable solution for any lifestyle. It's quick. It's flexible. It's expandable. The modular living concept opens up a world of options. Whether in the kitchen, bathroom or living room: The furniture elements can be combined and are available quickly. And they are pre-assembled.

**For more space in your life.**



# Simple and modular planning. Simply good. Simply fast.

Your new furniture is pre-assembled and will reach you in no time at all.  
With us you can get exactly what you want. Choose from different service options for the solution that fits your needs.



Integrated  
living concept



Simple modular  
system



nobilia  
quality



Pre-assembled  
furniture



Quick  
availability



High level  
of service

# First-class furniture in nobilia quality. Made in Germany.

Thanks to our use of high-quality materials, nobilia elements products are guaranteed to be reliable and long-lived: They feature quality handles made of metal, cushioned hinges and drawer systems as well as sturdy front and worktop décors.



nobilia means certified quality:





1

3

3


3

3

3

2

1



# Simple options for diverse design possibilities.

Our flexible yet simple nobilia elements furniture module kit is as modular as your preferences and as simple as it gets because it focuses on what's really important.

## 1 Colours

The front, carcase and plinth are available in modern alpine white. The matt surface is a real eye-catcher.

### Front

332 Touch alpine white super-matt

### Carcase

193 Alpine white

### Plinth

193 Alpine white,  
150 mm high

Alpine  
white

## 2 Handles

The handles made of high-quality metal are available in stainless steel finish and black.

### Metal handle

No. 263 Stainless steel finish  
No. 726 Black

### Handle position kitchen

Handle aligned horizontally on side



### Handle position bathroom / living

Handle aligned horizontally at centre



## 3 Décors

A warm wood décor, timeless concrete appearance or minimalist alpine white – the choice is yours.

### Worktop

198 Sierra oak reproduction  
354 Concrete Slate Grey reproduction

### Upright panel and top shelf

193 Alpine white  
198 Sierra oak reproduction  
354 Concrete Slate Grey reproduction

### Niche cladding

198 Sierra oak reproduction  
354 Concrete Slate Grey reproduction

### Shelf unit

193 Alpine white

Alpine  
white

Oak

Concrete

A customised dream kitchen  
for any taste and space.



KSET-E12







**A velvety feel and timeless design.**

The Touch front is designed to fascinate with its supermatt look and a modern surface quality.




KSET-E09



### The soft-close cushioning feature.

All doors, drawers and pull-outs of nobilia elements units come standard equipped with high-quality, soft-closing hinge systems.



KSET-E03



KSET-E05







## For more space in your life.

Whether you need a kitchen for a single-person home, a student flat, a kitchen for daily commuters or a family – the flexible nobilia elements module kit can be adapted to any situation.



KSET-E14





KSET-E04



KSET-E08

**Unbeatable value  
for money.**

nobilis elements is so reliable because all materials we use are extremely high quality. The cushioned hinges, quality handles, reliable and long-lived drawer systems have all undergone intensive testing at nobilia's own lab.





# Kitchen modules


## Base units

Side depth: 561 mm; carcass height: 720 mm; total height: 870 mm  
Hot plates may only be installed in units intended for this purpose.

### Base unit

Hinge side optionally on L/R,  
1 continuous door,  
1 shelf

UD 30 / 45 / 60




Width:	Item no.
30 cm	31003
45 cm	31065
60 cm	31030

### Base unit

Hinge side optionally on L/R,  
1 drawer, 1 door,  
1 shelf

US 30 / 45 / 60




Width:	Item no.
30 cm	22006
45 cm	22077
60 cm	22031

### Pull-out unit

1 drawer, 2 pull-outs

UA 30 / 45 / 60 / 90




Width:	Item no.
30 cm	22263
45 cm	22022
60 cm	22062
90 cm	22024

### Base unit

2 continuous doors,  
1 shelf

UD 90




Width:	Item no.
90 cm	31076

### Base unit

2 drawers, 2 doors,  
1 shelf

US 90



Width:	Item no.
90 cm	22079

### Pull-out unit

1 pull-out,  
1 continuous front,  
2 metal baskets

UA 15



Width:	Item no.
15 cm	22270

### Open shelf base unit

2 fixed shelves,  
side depth: 582 mm

UR 15



Width:	Item no.
15 cm	22601

### Base unit sideboard

Hinge side optionally on L/R,  
1 continuous door, 2 fixed  
shelves, side depth: 350 mm

S60-1



Width:	Item no.
60 cm	38006

### Base unit open-shelf sideboard

2 fixed shelves  
side depth: 371 mm

SR15-1



Width:	Item no.
15 cm	39071

### Corner unit

Hinge side optionally on L/R, 1  
continuous door, 1 shelf,  
1 angle filler

UEDF 100-60




Width:	Item no.
60 cm	36099

### Sink base unit

Hinge side optionally on L/R,  
1 internal panel,  
1 continuous door

SPUD 45 / 60




Width:	Item no.
45 cm	31205
60 cm	31206

### Sink base unit

2 internal panels,  
2 continuous doors

SPUD 90




Width:	Item no.
90 cm	31161

### Hot plate unit

Hinge side optionally on L/R,  
1 internal panel, 1 construction  
shelf for heat insulation,  
1 door, 1 shelf

KD 60



Width:	Item no.
60 cm	31066

### Hot plate unit

Hinge side optionally on L/R,  
1 drawer, 1 spacer  
shelf for hot plate, 1 door,  
1 shelf

KS 60



Width:	Item no.
60 cm	20333

### Hot plate unit

1 drawer, 1 spacer shelf  
for hot plate, 2 pull-outs

KS2A 60 / 90




Width:	Item no.
60 cm	21377
90 cm	21391

### Cooker housing unit\*

1 fixed panel,  
aperture dimension: 598 mm

HUB



Width:	Item no.
60 cm	309

### Cooker housing unit\*

1 plastic drawer,  
16 l capacity, interior dimensions:  
485 x 480 x 68 mm,  
aperture dimension: 598 mm

HUS 60



Width:	Item no.
60 cm	31311

### Continuous door front

for fully integrated dishwasher,  
built-under fridge and freezer  
units with pull-outs

GSBD 45-1 / GSBD 60-1




Width:	Item no.
45 cm	39820
60 cm	39866



### Continuous door front

Hinge side optionally on L/R, for integrated fridges/freezers and washing machines

KSBD



Width: 60 cm  
Item no. 39865

### Safety bracket for free-standing base units

2 safety brackets (metal), 1 polymer adhesive, mounting materials and installation instructions

KIPPS




Item no. 9943

### Upright at end

incl. floor profile, depth: 583 mm, thickness: 16 mm

UWA 16




Item no. 16902

### Upright at end for 700 mm deep worktops

incl. floor profile, depth: 683 mm, thickness: 16 mm

UW 86-69



Width: 60 cm  
Item no. 16894


### Upright at end for island designs

incl. floor profile in (014) Stainless steel appearance or (010) Black, thickness: 16 mm, dimensions (H x W x D)

862 mm x 16 mm x 955 mm

Colour: Alpine white

UW86-96




Item no. 16893

### Filler

Carcase material, 720 mm high

UPK 20



Width: 20 cm  
Item no. 113

### Front filler

Continuous front material

UPD 20




Width: 20 cm  
Item no. 116

### Base unit angle filler

Continuous front material, 70 x 70 mm

UPE



Item no. 143

### Dishwasher recess

Side section made of carcase material, carcase height: 720 mm, carcase depth: 561 mm, for attaching to fillers planned next to a dishwasher

GSPR-E

Item no. 44160


## Highboards

Side depth: 561 mm; carcase height: 1512 mm; total height: 1662 mm

### Oven housing

Aperture height: 590 mm, 1 fixed compensation panel, 2 drawers, 2 pull-outs

GO2S2A




Width: 60 cm  
Item no. 25432

### Appliance housing for integrated fridge

Hinge side optionally on L/R, aperture height: 1230 mm, 1 internal panel, 1 appliance door, 1 drawer

G123S



Width: 60 cm  
Item no. 24778

### Highboard larder unit

1 pull-out with cushioning element to cushion opening and closing SoftStoppPro, 4 hanging baskets with wooden bottoms and metal railing, adjustable

HA 30




Width: 30 cm  
Item no. 20413

### Upright at end

for 150 mm plinth height, incl. floor profile, depth: 598 mm, height: 1662 mm

Floor profile colour: Stainless steel / Black

HWA 16




Item no. 16517

### Upright at end for 700 mm deep worktops

incl. floor profile, depth: 683 mm, height: 1662 mm

Floor profile colour: Stainless steel / Black

HWAV 16




Item no. 16519

### Filler

Carcase material, 1512 mm high, U-shaped seal for connection to wall

HPK 20




Width: 23 cm  
Item no. 21870

### Front filler

Continuous front material

HPD 20



Width: 20 cm  
Item no. 22792

# Kitchen modules

## Tall units

Side depth: 561 mm; carcass height: 2016 mm; total height: 2166 mm

### Pantry unit

Hinge side optionally on L/R, 2 doors, 1 fixed shelf, 4 shelves

HDV 60-1



Width: 60 cm  
Item no. 24016

### Larder unit

1 pull-out with cushioning element to cushion opening and closing SoftStoppPro, 5 hanging baskets with wooden bottoms and metal railing, adjustable

HDA 30-1




Width: 30 cm  
Item no. 24073

### Oven housing

Hinge side optionally on L/R, aperture height: 590 mm, 2 doors, 1 fixed compensation panel, 2 shelves

GO-1




Width: 60 cm  
Item no. 23417

### Oven housing

Hinge side optionally on L/R, aperture height: 590 mm, 1 door, 1 shelf, 1 fixed compensation panel, 1 drawer, 2 pull-outs

GOS2A-1




Width: 60 cm  
Item no. 25461

### Appliance housing for oven and microwave with lifting door

Aperture heights: 370 mm | 590 mm  
1 flap, 1 lifting door, 1 fixed compensation panel, 2 pull-outs

GL02A-1




Width: 60 cm  
Item no. 25511

### Appliance housing for integrated fridge and microwave / steam oven / compact appliance

Hinge side optionally on L/R, aperture height: 380–450 | 880 mm, 1 door, 1 shelf, 1 fixed compensation panel, 1 appliance door

G88MDK-1



Width: 60 cm  
Item no. 24629

### Appliance housing for integrated fridge

Hinge side optionally on L/R, aperture height: 1230 mm, 1 internal panel, 1 appliance door, 1 door, 1 shelf

G123-1



Width: 60 cm  
Item no. 24651

### Appliance housing integrated fridge/freezer

Hinge side optionally on L/R, aperture height: 1450 mm, 1 appliance door for freezer section, 1 appliance door for fridge section, 1 pull-out

G145A-1




Width: 60 cm  
Item no. 22670

### Appliance housing integrated fridge/freezer

Hinge side optionally on L/R, aperture height: 780 mm, 2 appliance doors

GD194-1




Width: 60 cm  
Item no. 24674

### Upright at end

incl. floor profile, depth: 583 mm, height: 2158 mm

Floor profile colour: Stainless steel / Black  
HWA 16-1




Item no. 16303

### Upright at end for 700 mm deep worktops

incl. floor profile, depth: 683 mm, height: 2158 mm

Floor profile colour: Stainless steel / Black  
HWAV 16-1



Item no. 16304

### Design upright panel for tall unit

incl. floor profile, depth: 683 mm, height: 2158 mm


Colour: only available in Alpine white  
Floor profile colour: Stainless steel / Black  
HWAK 16-1



Item no. 16897

### Filler

Carcass material, 2016 mm high, U-shaped seal for connection to wall  
HPK 20-1



Width: 23 cm  
Item no. 25487

### Front filler

Continuous front material  
HPD 20-1




Item no.  
25488

## Wall units

Side depth: 350 mm; carcass height: 360 mm

### Wall unit

Hinge side optionally on L/R,  
1 door, 2 shelves  
W 30-1 / 45-1 / 60-1



Width: Item no.  
30 cm 32003  
45 cm 32045  
60 cm 32006

### Wall unit


2 doors, 2 shelves  
W 90-1



Width: Item no.  
90 cm 32009

### Wall unit with folding/lifting door


1 folding/lifting door, 2 original  
fronts, 2 shelves  
WFL 60-1 / 90-1



Width: Item no.  
60 cm 32346  
90 cm 32349

### Wall unit with segmented glass door

Hinge side optionally on L/R,  
1 door, clear glass no. 01,  
2 glass shelves  
WGLS 60-1



Width: Item no.  
60 cm 31436

### Wall unit for microwave appliance JUNKER


1 aperture 380 mm, 1 flap  
as aperture compensation  
WMJE 60-1



Width: Item no.  
60 cm 37568

### Wall unit for slimline cooker hood

Hinged side optionally on L/R,  
internal panel, metal trays, 80 mm  
deep, the number of metal trays is  
based on the installation dimensions  
of the cooker hood, height: 720 mm  
WDAF 60-1




Width: Item no.  
60 cm 31829

### Wall shelf

Thickness: 25 mm,  
depth: 255 mm, not for planning  
above hot plates

Colours: Oak/Concrete/Alpine white  
VBE 25-60 / 80 / 90 / 100



Width: Item no.  
60 cm 25826  
80 cm 25828  
90 cm 25829  
100 cm 25830

→ Wall holders for  
the wall shelf, set of 2

Colours: Stainless steel / Black  
VBH 5



Item no.  
5900

### Open shelf wall unit


2 fixed shelves,  
side depth: 371 mm  
WR 15-1



Width: Item no.  
15 cm 32071

### Upright at end

Depth: 372 mm, height: 720 mm,  
thickness: 16 mm  
WW 16-1



Item no.  
16832

### Filler


Carcass material,  
720 mm high, U-shaped seal  
for connection to wall  
WPK 20-1



Width: Item no.  
20 cm 31302

### Front filler


Continuous front material,  
2 shelves top and bottom,  
1 wall unit side panel: 350 mm  
deep  
WPD 20-1



Width: Item no.  
20 cm 3312

### Angle filler Wall unit

Front material, 150 x 150 mm,  
2 shelves top and bottom, 2 wall  
unit side panels: 350 mm deep  
WPEV 50-1



Item no.  
31480

# Kitchen modules

## Top shelves for highboards

### Top shelves

Thickness: 16 mm, 585 mm depth, coated on both faces, front and side with polymer edge

ADB1633-59-E  
ADB1663-59-E  
ADB1693-59-E  
ADB16123-59-E



Length:	Item no.
33 cm	16050
63 cm	16051
93 cm	16052
123 cm	16053

### Top shelf

685 mm deep, coated on both faces, front and side with polymer edge, thickness: 16 mm

ADB16123-69-E



Length:	Item no.
123 cm	16054

## Worktops for run solutions

### Worktops

1.5 mm thick, 600 mm deep, front and side with straight décor edge

APD60-180-E  
APD60-210-E  
APD60-240-E  
APD60-300-E  
APD60-400-E




Length:	Item no.
180 cm	7601
210 cm	7602
240 cm	7603
300 cm	7604
400 cm	7605

### Worktop

700 mm deep, front and side with straight décor edge, 1.5 mm thick

APD70-400-E



Length:	Item no.
400 cm	7606

## Worktop for island solutions

### Worktop

1835 mm x 989 mm, all around with straight décor edge, 1.5 mm thick

APDI 38-184-E



Item no.
7617

## Worktops for corner solutions

Tongue and groove joint always on the right side of the left side piece (not variable)

Left side piece

Item no. 7610, 7611, 7612

Item no.  
7613  
7614

Right side piece

### Worktop for corner solutions

Length: 1855 mm, depth: 600 mm with curve (left side piece)  
APDEW60-186-E

Item no.  
7610

### Worktop for corner solutions

Length: 2455 mm, depth: 600 mm with curve (left side piece)  
APDEW60-246-E

Item no.  
7611

### Worktop for corner solutions

Length: 4000 mm, depth: 600 mm with curve (left side piece)  
APDEW400-60-E

Item no.  
7612

### Worktop for corner solutions

Length: 2450 mm, depth: 600 mm with recess (right side piece)  
APDEE60-245-E

Item no.  
7613

### Worktop for corner solutions

Length: 4000 mm, depth: 600 mm with recess (right side piece)  
APDEE60-400-E

Item no.  
7614

## Niche cladding

### Niche cladding

537 mm high  
coated on both faces,  
thickness: 16 mm,  
NVF 240-54



Width: Item no.  
240 cm 9166

### Niche cladding

60 mm high  
coated on both faces,  
thickness: 16 mm  
NVF 60-70 / NVF 90-70



Width: Item no.  
60 cm 9160  
90 cm 9190

## Ovens (individual)

### Built-in oven with catalysis SAMSUNG

Individual appliance, top & bottom heating and circulating air  
NV7B41201DK/U11



Item no.  
83270

### Built-in oven with hydrolysis BEKO

Individual appliance, top & bottom heating and circulating air  
BBIE 110N0X



Item no.  
86721

### Built-in oven with hydrolysis BEKO

Individual appliance, top & bottom heating and circulating air and hot air  
BBIM 110N1 X



Item no.  
86722

## Compact ovens

### Compact oven JUNKER

Individual appliance, top & bottom heating, for 450 mm aperture  
JC 4306061



Item no.  
81243

### Microwave compact oven JUNKER

Individual appliance, 5 power levels, for 450 mm aperture  
JC 4119961



Item no.  
81245

## Cooker + hot plate

### Built-in cooker with hydrolysis BEKO

Top & bottom heating and circulating air  
BBUE 110N0 X



Width: 60 cm  
Item no. 86737

+

### Ceramic glass hot plate BEKO

Ceramic glass, 4 cooking zones  
EH 9630 XHN



Item no.  
86812

### Cooker set: Built-in cooker and hot plate SAMSUNG

With operation f. hot plate, top & bottom heating and circulating air  
F-NB69R2300RS



Width: 60 cm  
Item no. 83011

## Hot plates (individual)

### Domino ceramic glass hot plate with induction BEKO

Individual appliance, ceramic glass, 2 induction cooking zones  
HDMI 32400DT



Width: 30 cm  
Item no. 86847

### Domino ceramic glass hot plate with induction LAURUS

Individual appliance, ceramic glass, 2 induction cooking zones  
LIA 30



Width: 30 cm  
Item no. 80332

### Ceramic glass hot plate with induction SAMSUNG

Individual appliance, ceramic glass, 4 induction cooking zones  
NZ64M3NM1BB/UR



Width: 60 cm  
Item no. 83304

### Induction hot plate BEKO

Individual appliance, ceramic glass, 4 induction cooking zones  
HII 64400 MT



Width: 60 cm  
Item no. 86842

### Ceramic glass hot plate BEKO

Individual appliance, ceramic glass, 4 cooking zones  
EB 9741 FH-L



Width: 60 cm  
Item no. 86824

### Ceramic glass hot plate LAURUS

Individual appliance, ceramic glass, 4 highlight cooking zones  
LCA 60



Width: 60 cm  
Item no. 80313

### Ceramic glass hot plate induction LAURUS

Individual appliance, ceramic glass, 4 induction cooking zones  
LIA 78



Width: 80 cm  
Item no. 80317

# Kitchen modules

## Induction hot plate BEKO

Individual appliance, ceramic glass,  
4 induction cooking zones  
HII 84500 FHTX



Width: 80 cm  
Item no. 86844

## Built-in microwaves

### Microwave JP 4119260 with HydroClean JUNKER

with hinged side on left, 5 power levels, width: 60 cm, suitable for wall unit for microwave appliance JUNKER  
JP 4119260



Width: 60 cm  
Item no. 81625

## Cooker hoods

### Wall-mounted cooker hood ELICA

Black glass  
WISE 60 BK / 90 BK



Width: 60 cm  
Item no. 88526  
90 cm 88529

→ suitable active charcoal filter 18909

### Wall-mounted cooker hood FABER

Stainless steel  
EASY PBXA60 NG  
EASY PBXA90 NG



Width: 60 cm  
Item no. 88576  
90 cm 88579

→ suitable active charcoal filter 18559

### Slimline cooker hood ELICA

Grey / Stainless steel  
ELITE 14 60-D



Width: 60 cm  
Item no. 88102

→ suitable active charcoal filter 18102

### Island cooker hood ELICA

Stainless steel  
JOYE Insel-A



Width: 60 cm  
Item no. 88145

→ suitable active charcoal filter 18903

## Dishwashers

### Fully integrated dishwasher BEKO

Fully integrated; when planned at start of/end of run upright at end is required  
BDIS 15N22



Width: 45 cm  
Item no. 86910

### Fully integrated dishwasher LAURUS

Fully integrated; when planned at start of/end of run upright at end is required  
LSV 45-3



Width: 45 cm  
Item no. 80444

### Fully integrated dishwasher SAMSUNG

Fully integrated; when planned at start of/end of run upright at end is required DW60A6090IB ET



Width: 60 cm  
Item no. 83413

### Fully integrated dishwasher BEKO

Fully integrated; when planned at start of/end of run upright at end is required  
BDIN 14N22



Width: 60 cm  
Item no. 86905

## Fridges and freezers

### Integrated fridge BEKO

Size 88 aperture, fridge section: 97 litres,  
freezer section: 13 litres  
B 1754 N



Width: 60 cm  
Item no. 86508

### Integrated built-under fridge LAURUS

Size 88 aperture, fridge section: 98 litres,  
freezer section: 17 litres  
LKG 82 F



Width: 60 cm  
Item no. 80507

### Integrated fridge BEKO

Size 123 aperture, fridge section: 156 litres, freezer section: 19 litres  
BSSA 210K3 SN



Width: 60 cm  
Item no. 86511

### Integrated fridge LAURUS

Size 123 aperture, fridge section:  
170.3 litres, freezer section: 17 litres  
LKG 122 F



Width: 60 cm  
Item no. 80538

### Integrated fridge/ freezer combination BEKO

Size 145 aperture, fridge section:  
176 litres, freezer section: 44 litres  
BDSA 250K3 SN



Width: 60 cm  
Item no. 86513

### Integrated fridge/ freezer combination LAURUS

Size 145 aperture, fridge section:  
172 litres, freezer section: 37.6 litres  
LKG144.1F DD



Width: 60 cm  
Item no. 80543

### Integrated fridge/ freezer combination BEKO

Size 178 aperture, fridge section:  
193 litres, freezer section: 78 litres  
BCSA 285K4 SN



Width: 60 cm  
Item no. 86520

### Integrated fridge LAURUS

Size 178 aperture,  
fridge section: 181 litres,  
freezer section: 70 litres  
LKG 178.1F



Width: 60 cm  
Item no. 80549

## Sinks

### Built-in sink

Stainless steel, minimum sink base unit width: 500 mm  
New Manauis



Item no. 87207

### Built-in sink with small drip tray

Stainless steel, satin matt,  
minimum sink base unit width: 400 mm  
ETN 611-58



Item no. 87042

### Built-in sink with drip tray

Stainless steel, minimum sink base unit  
width: 450 mm  
Okio Line 85 Deep



Item no. 87100

### Built-in sink

Stainless steel, minimum sink base unit width: 450 mm  
Spark SKX 611-63



Item no. 87083

### Built-in sink

Carbon, minimum sink base unit width: 600 mm  
Sirius SID 610



Item no. 87516

### Built-in sink with drip tray

Onyx, minimum sink base unit width: 450 mm  
Formhaus D-100



Item no. 87324

## Taps

### Mixing tap

High pressure, chrome



Item no. 17770

### Mixing tap

Low pressure, chrome



Item no. 17769

### Mixing tap

High pressure, with spray head, stainless steel



Item no. 17777

### Mixing tap

High pressure, with spray head, black matt



Item no. 17791

## Accessories

### Built-in waste collector

H x W x D = 470 x 340 x 285 mm  
(can be built-in upwards of 400 mm  
door width),  
capacity: 13 l, silver colour  
AS9441



Item no. 9441

### Built-in waste collector

H x W x D = 347 x 434 x 330 mm  
(can be built-in upwards of 500  
mm door width), 3 separate areas:  
capacity: 1 x 12 l, 2 x 8.5 l,  
1 additional lid for organic waste  
AS9431



Item no. 9431

# Kitchen modules

## Built-in waste collector

H x W x D = 470 x 410 x 210 mm  
(can be built-in upwards of 450 mm door width) capacity: 19 l  
AS9449



Item no.  
9449

## LED niche light set Sirio Long

3 LED lights incl. Emotion dimmer, stainless steel appearance  
LNSIRL set



Item no.  
5967

## LED niche light Sirio Long


for mounting beneath wall units, stainless steel appearance  
LNSIRL



Item no.  
5966

## LED starter set with round Emotion radio remote control

LED controls 30 W / 12 V DC including radio receiver and 6 input distributor, 2000 mm power cable with plug, 1 round Emotion radio remote control  
LSETR30-F



Item no.  
15083

## LED extension cable

for extending the connection cable to the distributor, length: 1800 mm  
VK-LED



Item no.  
5273

## Built-in socket Twist

Double socket, with contact protection, plastic housing, cover made of metal in stainless steel appearance (014), for installation in worktops, drilling: 105 mm diameter, 2000 mm power cable, socket model F  
Twist-F



Item no.  
33447

## Cutlery tray Trend

Height: 43 mm, grey  
BE 30 / 45 / 60 / 90



Width:	Item no.
30 cm	26121
45 cm	26123
60 cm	26126
90 cm	26129

## Wooden cutlery tray

Height: 55 mm, solid oak, with non-slip mat in anthracite  
BE 30E / 45E / 60E / 90E



Width:	Item no.
30 cm	47321
45 cm	47323
60 cm	47326
90 cm	47329

## Cutlery tray Concept

Height: 52 mm, non-slip Softtouch surface  
BE 30C / 45C / 60C / 90C



Width:	Item no.
30 cm	39603
45 cm	39645
60 cm	39606
90 cm	39609

## Non-slip mat

anthracite  
RM 30 / 45 / 60 / 90



Width:	Item no.
30 cm	26711
45 cm	26714
60 cm	26716
90 cm	26719

## Waterproof mat

Plastic, slate grey, for sink base units, cannot be used with front pull-outs, only for side depth 561 mm  
WSMS 45 / 60 / 90



Width:	Item no.
45 cm	39902
60 cm	39904
90 cm	39906

## Ventilation grille for all fridge/freezer housing units

LG 40



Item no.  
7038

## Plastic ventilation grille

grey, for ventilating electric appliances installed in the highboard  
LGADB



Item no.  
9500

## Spacer band for wall units planned above each other

Spacer profile for cornice shelf, transparent, thickness: 3 mm, length: 1000 mm

Item no.  
9888

## Mounting set 2

- 1 ball siphon
- 1 space-saving connector, white
- 1 HT bend DN 40/87 grey
- 1 HT tube DN 40 x 250 mm grey
- 1 HT transition element DN 40/50 mm grey
- 1 cooker connection cable, 5 x 2.5 mm<sup>2</sup>, 2000 mm long
- 2 Flex tubes with union nut
- 1 hose clip, 16 - 25 mm
- table socket, triple



Item no.  
9912

MONSET2



### Mechanical opening support mechanism with drill jig for handleless doors

For drilling into carcass bottom or carcass side. Included in delivery: 5 pcs. with drill jig  
PTO5-BS



Item no.  
6339

### Plastic upstand

Top section with sealing lips, dimensions: 25 mm high, 25 mm deep, in worktop colour  
WAP 200 / WAP 400



Item no.  
4082  
4084

### WAP accessory bag

matches the plastic upstand WAP consisting of: 4 x interior corner 90°, 2 x interior corner 135°, 2 x exterior corner 90°, 2 x sets of end caps  
WAP-Z



Item no.  
47928

### Upstand

2-section plastic profile with sealing lip, dimensions: 25 mm high, 25 mm deep, in stainless steel appearance or black  
WAPN 200 / WAPN 400



Item no.  
3942  
3944

### WAP accessory bag

matches the plastic upstand WAPN consisting of: 4 x interior corner 90°, 2 x interior corner 135°, 2 x exterior corner 90°, 2 x set of end caps WAPN, 2 x set of end caps for niche cladding  
WAPN-Z



Item no.  
43940

### Worktop fitting incl. turnbuckle connector

Lamello connectors and glue



Item no.  
9424

### Support angle

made of aluminium, width: 250 mm, side piece length 40 x 40 mm  
STW



Item no.  
4032


### Support leg 60 mm Ø

in stainless steel appearance, height adjustment + 30 mm  
SFED 72 / SFED 87



Height: Item no.  
720 mm 44072  
870 mm 44087

High-quality, unique bathroom  
furniture with short delivery times.



BSET-E01



BSET-E03



BSET-E02



**Top quality standards.**

The nobilia elements front, carcass and worktop décors are easy to clean, highly robust and tested for a long life.

Centre line 600 mm  
with built-in hand basin.

Additional  
planning options.



Simple. Clever.  
Combined.

**Centre line 800 mm**  
with built-in hand basin.



Centre line 800 mm  
with surface-mounted  
hand basin.

Sierra oak  
reproduction

Additional  
planning options.



Simple. Clever.  
Combined.

Centre line 800 mm  
with surface-mounted  
hand basin.

Concrete Slate Grey  
reproduction



# Bathroom modules

## Base units


\*Top shelf required. | \*\* Washbasin required.

### Open shelf base unit \*

Height: 288 mm, depth: 482 mm

Colours: Oak/Concrete

BUR 30-29




Width: 30 cm  
Item no. 2331

### Open shelf base unit \*

1 fixed shelf, height: 576 mm, depth: 482 mm

Colours: Oak/Concrete

BUR 30-58



Width: 30 cm  
Item no. 2862

### Pull-out unit \*

1 pull-out, height: 288 mm, depth: 461 mm

BUA 60-29 / 80-29




Width: 60 cm  
Item no. 2325  
80 cm 2326

### Bathroom vanity unit \*\*

1 internal panel, 1 drawer with pull-out panel with wooden back panel, cut-out 9381 recess for siphon, height: 288 mm, depth: 461 mm

BWAS 60-29 / 80-29




Width: 60 cm  
Item no. 2315  
80 cm 2316

### Pull-out unit \*

2 pull-outs, height: 576 mm, depth: 461 mm

BU2A 60-58 / 80-58




Width: 60 cm  
Item no. 2845  
80 cm 2846

### Bathroom vanity unit \*\*

1 internal panel, 1 drawer with pull-out panel, 1 pull-out with wooden back panel, cut-out 9381 recess for siphon, height: 576 mm, depth: 461 mm

BWASA 60-58 / 80-58




Width: 60 cm  
Item no. 2835  
80 cm 2836

## Sideboard

Top shelf required.

### Bathroom sideboard

Hinge side optionally on L/R, 1 pull-out, 1 door, 1 shelf, height: 864 mm, depth: 350 mm  
BSA 30-86



Width: 30 cm  
Item no. 2930

## Midi units

Top shelf required.

### Bathroom midi unit

Hinge side optionally on L/R, 1 door, 1 pull-out, 1 door, 3 shelves, height: 1584 mm, depth: 350 mm

BMA 30-158




Width: 30 cm  
Item no. 2950

### Bathroom midi unit

Hinge side optionally on L/R, 1 door, 1 drawer, 1 pull-out, 2 shelves, height: 1152 mm, depth: 350 mm

BMSA 30-115



Width: 30 cm  
Item no. 2940


## Wall units

\* Handles on these units aligned horizontally on side.

### Mirrored cabinet

Hinged side optionally on L/R, 1 mirrored door, 2 glass shelves, wall unit bottom shelf with attached profile strip in stainless steel appearance, height: 720 mm, total depth: 210 mm, side depth: 202 mm, utilisable depth: 178 mm

WBSP 60-1



Width: 60 cm  
Item no. 2721

### Mirrored cabinet

2 mirrored doors, 2 glass shelves, wall unit bottom shelf with attached profile strip in stainless steel appearance, height: 720 mm, total depth: 210 mm, side depth: 202 mm, utilisable depth: 178 mm

WBSP 80-1



Width: 80 cm  
Item no. 2722



### Wall unit \*

Hinge side optionally on L/R  
1 door, 2 shelves  
W 30-1 / 45-1 / 60-1



Width:	Item no.
30 cm	32003
45 cm	32045
60 cm	32006

### Wall unit \*

2 doors, 2 shelves  
W 90-1



Width:	Item no.
90 cm	32009

### Wall unit with segmented glass door \*


Hinge side optionally on L/R, 1 door, clear glass no. 01, 2 glass shelves  
WGLS 60-1



Width:	Item no.
60 cm	31436

### Wall unit with folding/lifting door

1 folding/lifting door, 2 original fronts, 2 shelves  
WFL 60-1 / 90-1




Width:	Item no.
60 cm	32346
90 cm	32349

### Wall shelf

Thickness: 25 mm,  
depth: 255 mm not for planning  
above hot plates

Colours: Oak/Concrete/Alpine white  
VBE 25-60 / 80 / 90 / 100



Width:	Item no.
60 cm	25826
80 cm	25828
90 cm	25829
100 cm	25830

→ Wall holders for the wall shelf, set of 2  
Colours: Stainless steel / Black  
VBH 5



Item no.
5900

### Top shelf for sideboards

Thickness: 16 mm, 374 mm  
length  
16880



Length:	Item no.
30.3 cm	16880

### Top shelf for bathroom open shelf base units, pull-out units and vanity units

Thickness: 16 mm, 485 mm  
length  
16881 / 16882 / 16883 / 16884 /  
16885 / 16886 / 16887 / 16888 /  
16889 / 16890



Length:	Item no.
30.3 cm	16881
60.3 cm	16882
80.3 cm	16883
90.3 cm	16884
110.3 cm	16885
120.3 cm	16886
140.3 cm	16887
150.3 cm	16888
160.3 cm	16889
180.3 cm	16890

## Washbasins

Order odour stop (item no. 17713) separately.

\*Top shelf required.

### Furniture hand basin

Mineral Composite  
1 basin 500 x 340 x 120 mm,  
1 tap hole, 1 overflow,  
exterior dimensions:  
614 x 492 mm, height: 142 mm  
MEGX 600C



Item no.  
87706

### Furniture hand basin

Mineral Composite  
1 basin 500 x 340 x 120 mm,  
1 tap hole, 1 overflow,  
exterior dimensions:  
814 x 492 mm, height: 142 mm  
MEGX 800C



Item no.  
87708

### Surface-mounted hand basin

Mineral Composite \*  
1 basin 475 x 310 x 115 mm,  
1 tap hole, 1 overflow,  
exterior dimensions:  
519 x 450 mm, height: 162 mm  
WB 0002 W 520C ICC



Item no.  
87727

### Surface-mounted hand basin

Mineral Composite \*  
1 basin 570 x 335 x 100 mm  
1 tap hole,  
exterior dimensions:  
600 x 470 mm, height: 144 mm  
WB 0517 C 600C



Item no.  
87726

## Taps

### Hand basin tap

with pull-out rail drain fitting,  
connection for hot and cold  
water, aerator Ø 24 mm, flexible  
connection hoses, tap hole  
Ø 35 mm, height of spout  
above worktop 98 mm, highest  
point above worktop  
152 mm, spout 117 mm  
Colours: Chrome/Black matt



Item no.  
17717



Item no.  
17718

# Bathroom modules

## Accessories

### Double socket

for mounting in mirrored cabinets WBSP, double socket with contact protection, plastic housing silver colour, 1600 mm power cable without plug, protection class IP 44  
DSDSP-F



Item no.  
33318

### Built-in waste collector

Built-in waste collector Separato Bathroom, suitable for bathroom pull-out units, height: 220 mm, for pull-out depth: 400 mm  
ASSB 40



Item no.  
3311

### Towel rail

For mounting on the sides of bathroom furniture in 461 mm side depth, hole spacing: 320 mm, height: 50 mm, width: 340 mm

Colours: Stainless steel/Black matt  
Screws for fastening are included in the scope of delivery  
HTHS650 / HTHS620



Item no.  
3320



Item no.  
3321

### Odour stop

Space-saving model, white plastic, for space-saving connection of washbasins in bathroom furniture, horizontal outlet, water seal head: 50 mm, Ø 32 mm, G1 1/4"



Item no.  
17713

### Safety box Glasgow

Black aluminium housing, including end caps, splash water protection IP 44, dimensions (H x W x D): 19 mm x 453 mm x 103 mm  
SIBOX



Item no.  
15195

### LED niche light set, Sirio Long

3 LED lights incl. Emotion dimmer, stainless steel appearance  
LNSIRL set



Item no.  
5967

### LED niche light, Sirio Long

for mounting beneath wall units, stainless steel appearance  
LNSIRL



Item no.  
5966

### LED starter set with round Emotion radio remote control

LED controls 30 W / 12 V DC including radio receiver and 6 input distributor, 2000 mm power cable with plug, 1 round Emotion radio remote control  
LSETR30-F



Item no.  
15083

### LED extension cable

for extending the connection cable to the distributor, length: 1800 mm  
VK-LED



Item no.  
5273

### Mirror with horizontal LED light window

1 sand-blasted LED light window, LED-12 V DC, 2700-6500 K, 1 Emotion touch dimmer, 1 LED converter 15 W 112 V DC IP 44, height: 850 mm, depth: 24 mm  
SPLH 60 / 80



Width: 60 cm  
80 cm  
Item no.  
15176  
15177

### LED attachment light Lilium Big Emotion

For planning on mirrored cabinets WBSP\*, aluminium housing in stainless steel appearance, Plexiglas cover in satin finish, LED-12 V DC, 2700-6500 K, 1700 mm connection cable to starter set, protection class IP 44  
LABSP 60 / 70



Width: 50 cm  
70 cm  
Item no.  
15196  
15197

Our nobilia elements  
living room furniture.  
Modern and available  
quickly.



**Pre-assembled.  
For modular use.**

Thanks to the pre-assembled nobilia elements furniture, assembly is a quick and simple process.



# Living modules

## Base units

\*Top shelf required. \*\*Top shelf and upright panels required.

### Pull-out unit \*

1 pull-out, height: 288 mm,  
depth: 461 mm

BUA 60-29 / 80-29




Width: Item no.  
60 cm 2325  
80 cm 2326

### Open shelf base unit \*

Height: 288 mm, depth: 482 mm

Colours: Oak/Concrete

BUR 30-29




Width: Item no.  
30 cm 2331

### Pull-out unit \*

2 pull-outs, height: 576 mm,  
depth: 461 mm

BU2A 60-58 / 80-58




Width: Item no.  
60 cm 2845  
80 cm 2846

### Open shelf base unit \*

1 fixed shelf, height: 576 mm,  
depth: 482 mm

Colours: Oak/Concrete

BUR 30-58




Width: Item no.  
30 cm 2862

### Base unit set

consisting of upright panels,  
top shelf and plinth strip, height:  
864 mm, depth: 461 mm

U3A 80-M



Width: Item no.  
80 cm 46483

### Top shelf for base unit set

Colours: Alpine white

Item no.  
16891

### Upright panels for base unit set

Colours: Alpine white

Item no.  
16892


## Sideboard

\*Top shelf required.

### Sideboard

Hinge side optionally on L/R  
1 pull-out, 1 door, 1 shelf,  
height: 864 mm,  
depth: 350 mm

BSA 30-86



Width: Item no.  
30 cm 2930

## Midi units

\*Top shelf required.

### Midi unit

Hinge side optionally on L/R,  
1 door, 1 pull-out, 1 door,  
3 shelves, height: 1584 mm,  
depth: 350 mm

BMA 30-158




Width: Item no.  
30 cm 2950

### Midi unit

Hinge side optionally on L/R,  
1 door, 1 drawer, 1 pull-out,  
2 shelves, height: 1152 mm,  
depth: 350 mm

BMSA 30-115



Width: Item no.  
30 cm 2940

## Wall units

\* Handles on these units aligned horizontally on side.

### Wall unit\*

Hinge side optionally on L/R  
1 door, 2 shelves  
W 30-1 / 45-1 / 60-1



Width:	Item no.
30 cm	32003
45 cm	32045
60 cm	32006

### Wall unit\*

2 doors, 2 shelves  
W 90-1



Width:	Item no.
90 cm	32009

### Wall unit with segmented glass door\*


Hinge side optionally on L/R,  
1 door, clear glass no. 01,  
2 glass shelves  
WGLS 60-1



Width:	Item no.
60 cm	31436

### Wall unit with folding/lifting door

1 folding/lifting door, 2 original  
fronts, 2 shelves  
WFL 60-1 / 90-1



Width:	Item no.
60 cm	32346
90 cm	32349

### Wall unit with flap


1 flap, opening angle 107°,  
depth: 360 mm  
WK 60-36 / 80-36 / 120-36



Width:	Item no.
60 cm	35806
80 cm	35808
120 cm	35812

### Wall shelf

Thickness: 25 mm,  
depth: 255 mm  
not for planning above  
hot plates  
Colours: Oak/Concrete/Alpine white  
VBE 25-60 / 80 / 90 / 100



Width:	Item no.
60 cm	25826
80 cm	25828
90 cm	25829
100 cm	25830

→ Wall holders for  
the wall shelf, set of 2  
Colours: Stainless steel / Black  
VBH 5



Item no.
5900

## Accessories

### Mirror with horizontal LED light window

1 sandblasted LED light  
window, LED-12 V DC,  
2700–6500 K, 1 Emotion touch  
dimmer, 1 LED converter 15 W  
112 V DC IP 44, height: 850  
mm, depth: 24 mm  
SPLH 60 / 80



Width:	Item no.
60 cm	15176
80 cm	15177

### LED niche light set, Sirio Long

3 LED lights incl. Emotion  
dimmer, stainless steel  
appearance  
LNSIRL set



Item no.
5967

### LED niche light, Sirio Long

for mounting beneath wall units,  
stainless steel appearance  
LNSIRL



Item no.
5966

### LED starter set with round Emotion radio remote control

LED controls 30 W / 12 V DC  
including radio receiver and  
6 input distributor, 2000 mm  
power cable with plug, 1 round  
Emotion radio remote control  
LSETR30-F



Item no.
15083

### LED extension cable

for extending the  
connection cable to the  
distributor,  
Length: 1800 mm  
VK-LED




Item no.
5273

# The **nobilia** elements planning grid.

## Kitchen planning grid:


### Open shelf wall unit

150 mm width



## Bathroom planning grid:

## Living planning grid:



Get creative and plan  
your **nobilis** elements living space.

